







Survey: Shielding Manual Survey

Report: Default Report

Survey Status		Respondent Statistics		Points Summary
Status:	Closed	Total Responses:	78	No Points Questions used in this survey.
Deploy Date:	08/10/2017	Completes:	78	
Closed Date:	10/09/2017	Partials:	0	

1. Please provide contact information:

	Responses	Percent
First Name: 	75	98.68%
Last Name: 	74	97.37%
City: 	74	97.37%
US State: 	62	81.58%
Home Phone: 	63	82.89%
Email Address: 	70	92.11%
Total Responded to this question:	76	97.44%
Total who skipped this question:	2	2.56%
Total:	78	100%





2. Region:

	Responses	Percent
Africa:	1	1.3%
Asia:	6	7.79%
Caribbean Islands:	0	0%
Australia/New Zealand:	0	0%
Europe:	6	7.79%
Middle East:	0	0%
North America:	62	80.52%
South America:	2	2.6%
Total Responded to this question:		77 98.72%
Total who skipped this question:		1 1.28%
Total:		78 100%





3. Gender:

	Responses	Percent
Male:	34	44.74%
Female:	42	55.26%
Total Responded to this question:	76	97.44%
Total who skipped this question:	2	2.56%
Total:	78	100%

4. Age group:

	Responses	Percent
18 - 34: 	3	3.9%
35 - 50: 	28	36.36%
51 - 64: 	36	46.75%
65+: 	10	12.99%
Total Responded to this question:	77	98.72%
Total who skipped this question:	1	1.28%
Total:	78	100%



















5. What type of targeting do you receive? Select all that apply.

	Responses	Percent
Microwave frequencies: 	72	94.74%
Voice-to-Skull: 	44	57.89%
Acoustic attacks: 	57	75%
Chemical: 	38	50%
Total Responded to this question:	76	97.44%
Total who skipped this question:	2	2.56%
Total:	78	100%

6. What type of effects are you experiencing? Select all that apply.

	Responses	Percent
Abdominal pressure or pain:	49	62.82%
Blurred vision:	50	64.1%
Breathing difficulties:	45	57.69%
Burning (internally or externally):	55	70.51%
Cancer:	8	10.26%
Diarrhea:	42	53.85%
Dizziness:	42	53.85%
Electric current:	61	78.21%
Electronic rape:	35	44.87%
Forced speech:	30	38.46%
Hearing voices:	33	42.31%
Heart arrhythmias:	36	46.15%
Heart attack:	7	8.97%
Insomnia:	53	67.95%
Memory loss:	53	67.95%
Muscle spasms:	52	66.67%
Nausea:	38	48.72%
Nosebleeds:	15	19.23%
Poking:	43	55.13%
Seizures:	13	16.67%
Stabbing pains:	52	66.67%
Stinging:	52	66.67%
Squeezing:	31	39.74%
If other, please specify:	42	53%
Total Responded to this question:		78 100%
Total who skipped this question:		0 0%
Total:		78 100%

7. What type of shielding do you use? Select all that apply.

	Responses	Percent
Aluminum foil: 	23	30.26%
Copper: 	15	19.74%
Dave Case's CD: 	12	15.79%
Earthing or Grounding: 	22	28.95%
Epsom salt baths: 	38	50%
Faraday cage: 	4	5.26%
Lead: 	5	6.58%
Leather: 	17	22.37%
Linqstat: 	7	9.21%
Metal: 	9	11.84%
Magnets: 	42	55.26%
Mirrors: 	18	23.68%
Mylar: 	13	17.11%
Rubber products: 	15	19.74%
Sheet metal: 	7	9.21%
Vitamins: 	43	56.58%
Xanax (prescription): 	10	13.16%
If other, please specify: 	46	60%
Total Responded to this question:		76 97.44%
Total who skipped this question:		2 2.56%
Total:		78 100%

8. Which item or product do you use most often for Abdominal pressure or pain? Select one.

	Responses	Percent
Aluminum foil:	2	2.86%
Copper:	1	1.43%
Dave Case's CD:	2	2.86%
Earthing or Grounding:	2	2.86%
Epsom salt baths:	5	7.14%
Faraday cage:	0	0%
Lead:	1	1.43%
Leather:	3	4.29%
Linqstat:	1	1.43%
Metal:	0	0%
Magnets:	6	8.57%
Mirrors:	1	1.43%
Mylar:	0	0%
Rubber products:	2	2.86%
Sheet metal:	0	0%
Vitamins:	7	10%
Xanax (prescription):	2	2.86%
None of the above:	15	21.43%
N/A:	9	12.86%
Other:	11	15.71%
Total Responded to this question:		70 89.74%
Total who skipped this question:		8 10.26%
Total:		78 100%





















9. Which item or product do you use most often for. blurred vision? Select one.

	Responses	Percent
Aluminum foil:	2	2.99%
Copper:	0	0%
Dave Case's CD:	0	0%
Earthing or Grounding:	2	2.99%
Epsom salt baths:	1	1.49%
Faraday cage:	0	0%
Lead:	1	1.49%
Leather:	1	1.49%
Linqstat:	0	0%
Metal:	0	0%
Magnets:	2	2.99%
Mirrors:	2	2.99%
Mylar:	0	0%
QuWave:	0	0%
Rubber products:	0	0%
Sheet metal:	0	0%
Vitamins:	2	2.99%
Xanax (prescription):	0	0%
N/A:	21	31.34%
None of the above:	33	49.25%
Total Responded to this question:		67 85.9%
Total who skipped this question:		11 14.1%
Total:		78 100%

10. Which item or product do you use most often for breathing difficulties? Select one.

	Responses	Percent
Aluminum foil:	1	1.59%
Copper:	0	0%
Dave Case's CD:	2	3.17%
Earthing or Grounding:	2	3.17%
Epsom salt baths:	3	4.76%
Faraday cage:	0	0%
Lead:	1	1.59%
Leather:	2	3.17%
Linqstat:	0	0%
Metal:	0	0%
Magnets:	2	3.17%
Mirrors:	0	0%
Mylar:	0	0%
QuWave:	0	0%
Rubber products:	0	0%
Sheet metal:	0	0%
Vitamins:	4	6.35%
Xanax (prescription):	1	1.59%
N/A:	19	30.16%
None of the above:	26	41.27%
Total Responded to this question:		63 80.77%
Total who skipped this question:		15 19.23%
Total:		78 100%

11. Which item or product do you use most often for burning (internally or externally)? Select one.

	Responses	Percent
Aluminum foil: 	2	3.08%
Copper: 	0	0%
Dave Case's CD: 	0	0%
Earthing or Grounding: 	2	3.08%
Epsom salt baths: 	6	9.23%
Faraday cage: 	1	1.54%
Lead: 	1	1.54%
Leather: 	0	0%
Linqstat: 	1	1.54%
Metal: 	2	3.08%
Magnets: 	4	6.15%
Mirrors: 	0	0%
Mylar: 	0	0%
QuWave: 	0	0%
Rubber products: 	2	3.08%
Sheet metal: 	0	0%
Vitamins: 	2	3.08%
Xanax (prescription): 	0	0%
N/A: 	13	20%
None of the above: 	29	44.62%
Total Responded to this question:		65 83.33%
Total who skipped this question:		13 16.67%
Total:		78 100%

12. Which item or product do you use most often for cancer? Select one.

	Responses	Percent
Aluminum foil:	0	0%
Copper:	0	0%
Dave Case's CD:	0	0%
Earthing or Grounding:	1	1.82%
Epsom salt baths:	1	1.82%
Faraday cage:	0	0%
Lead:	1	1.82%
Leather:	0	0%
Linqstat:	0	0%
Metal:	0	0%
Magnets:	1	1.82%
Mirrors:	0	0%
Mylar:	0	0%
QuWave:	0	0%
Rubber products:	1	1.82%
Sheet metal:	0	0%
Vitamins:	6	10.91%
Xanax (prescription):	0	0%
N/A:	31	56.36%
None of the above:	13	23.64%
Total Responded to this question:		55 70.51%
Total who skipped this question:		23 29.49%
Total:		78 100%





















13. Which item or product do you use most often for diarrhea ? Select one

	Responses	Percent
Aluminum foil:	0	0%
Copper:	0	0%
Dave Case's CD:	0	0%
Earthing or Grounding:	0	0%
Epsom salt baths:	2	3.17%
Faraday cage:	0	0%
Lead:	0	0%
Leather:	0	0%
Linqstat:	0	0%
Metal:	0	0%
Magnets:	2	3.17%
Mirrors:	0	0%
Mylar:	0	0%
QuWave:	0	0%
Rubber products:	0	0%
Sheet metal:	0	0%
Vitamins:	8	12.7%
Xanax (prescription):	1	1.59%
N/A:	20	31.75%
None of the above:	30	47.62%
Total Responded to this question:		63 80.77%
Total who skipped this question:		15 19.23%
Total:		78 100%

14. Which item or product do you use most often for dizziness? Select one.

	Responses	Percent
Aluminum foil:	1	1.56%
Copper:	0	0%
Dave Case's CD:	1	1.56%
Earthing or Grounding:	2	3.12%
Epsom salt baths:	0	0%
Faraday cage:	0	0%
Lead:	0	0%
Leather:	1	1.56%
Linqstat:	0	0%
Metal:	0	0%
Magnets:	4	6.25%
Mirrors:	0	0%
Mylar:	0	0%
QuWave:	0	0%
Rubber products:	0	0%
Sheet metal:	0	0%
Vitamins:	6	9.38%
Xanax (prescription):	2	3.12%
N/A:	21	32.81%
None of the above:	26	40.62%
Total Responded to this question:		64 82.05%
Total who skipped this question:		14 17.95%
Total:		78 100%

15. Which item or product do you use most often for electric current? Select one.

	Responses	Percent
Aluminum foil: 	4	6.15%
Copper: 	0	0%
Dave Case's CD: 	1	1.54%
Earthing or Grounding: 	8	12.31%
Epsom salt baths: 	4	6.15%
Faraday cage: 	1	1.54%
Lead: 	3	4.62%
Leather: 	2	3.08%
Linqstat: 	1	1.54%
Metal: 	0	0%
Magnets: 	2	3.08%
Mirrors: 	0	0%
Mylar: 	2	3.08%
QuWave: 	0	0%
Rubber products: 	4	6.15%
Sheet metal: 	0	0%
Vitamins: 	1	1.54%
Xanax (prescription): 	1	1.54%
N/A: 	10	15.38%
None of the above: 	21	32.31%
Total Responded to this question:		65 83.33%
Total who skipped this question:		13 16.67%
Total:		78 100%

16. Which item or product do you use most often for electronic rape? Select one.

	Responses	Percent
Aluminum foil:	2	3.23%
Copper:	1	1.61%
Dave Case's CD:	0	0%
Earthing or Grounding:	1	1.61%
Epsom salt baths:	3	4.84%
Faraday cage:	0	0%
Lead:	0	0%
Leather:	2	3.23%
Linqstat:	2	3.23%
Metal:	0	0%
Magnets:	4	6.45%
Mirrors:	2	3.23%
Mylar:	1	1.61%
QuWave:	0	0%
Rubber products:	0	0%
Sheet metal:	1	1.61%
Vitamins:	0	0%
Xanax (prescription):	0	0%
N/A:	22	35.48%
None of the above:	21	33.87%
Total Responded to this question:		62 79.49%
Total who skipped this question:		16 20.51%
Total:		78 100%

17. Which item or product do you use most often for forced speech? Select one.

	Responses	Percent
Aluminum foil:	1	1.69%
Copper:	1	1.69%
Dave Case's CD:	1	1.69%
Earthing or Grounding:	2	3.39%
Epsom salt baths:	0	0%
Faraday cage:	0	0%
Lead:	0	0%
Leather:	2	3.39%
Linqstat:	0	0%
Metal:	1	1.69%
Magnets:	1	1.69%
Mirrors:	0	0%
Mylar:	0	0%
QuWave:	0	0%
Rubber products:	0	0%
Sheet metal:	0	0%
Vitamins:	1	1.69%
Xanax (prescription):	1	1.69%
N/A:	27	45.76%
None of the above:	21	35.59%
Total Responded to this question:		59 75.64%
Total who skipped this question:		19 24.36%
Total:		78 100%

18. Which item or product do you use most often for hearing voices? Select one.

	Responses	Percent
Aluminum foil:	1	1.59%
Copper:	0	0%
Dave Case's CD:	2	3.17%
Earthing or Grounding:	1	1.59%
Epsom salt baths:	0	0%
Faraday cage:	0	0%
Lead:	1	1.59%
Leather:	1	1.59%
Linqstat:	0	0%
Metal:	0	0%
Magnets:	2	3.17%
Mirrors:	0	0%
Mylar:	0	0%
QuWave:	0	0%
Rubber products:	0	0%
Sheet metal:	0	0%
Vitamins:	0	0%
Xanax (prescription):	1	1.59%
N/A:	29	46.03%
None of the above:	25	39.68%
Total Responded to this question:		63 80.77%
Total who skipped this question:		15 19.23%
Total:		78 100%

19. Which item or product do you use most often for heart arrhythmias? Select one.

	Responses	Percent
Aluminum foil:	0	0%
Copper:	1	1.67%
Dave Case's CD:	1	1.67%
Earthing or Grounding:	0	0%
Epsom salt baths:	0	0%
Faraday cage:	0	0%
Lead:	3	5%
Leather:	3	5%
Linqstat:	1	1.67%
Metal:	0	0%
Magnets:	1	1.67%
Mirrors:	0	0%
Mylar:	0	0%
QuWave:	0	0%
Rubber products:	0	0%
Sheet metal:	0	0%
Vitamins:	3	5%
Xanax (prescription):	0	0%
N/A:	18	30%
None of the above:	29	48.33%
Total Responded to this question:		60 76.92%
Total who skipped this question:		18 23.08%
Total:		78 100%

20. Which item or product do you use most often for insomnia? Select one.

	Responses	Percent
Aluminum foil:	0	0%
Copper:	0	0%
Dave Case's CD:	2	3.45%
Earthing or Grounding:	1	1.72%
Epsom salt baths:	3	5.17%
Faraday cage:	0	0%
Lead:	0	0%
Leather:	1	1.72%
Linqstat:	1	1.72%
Metal:	0	0%
Magnets:	1	1.72%
Mirrors:	0	0%
Mylar:	0	0%
QuWave:	0	0%
Rubber products:	0	0%
Sheet metal:	0	0%
Vitamins:	13	22.41%
Xanax (prescription):	6	10.34%
N/A:	12	20.69%
None of the above:	18	31.03%
Total Responded to this question:		58 74.36%
Total who skipped this question:		20 25.64%
Total:		78 100%

21. Which item or product do you use most often for memory loss? Select one.

	Responses	Percent
Aluminum foil:	1	1.64%
Copper:	0	0%
Dave Case's CD:	1	1.64%
Earthing or Grounding:	1	1.64%
Epsom salt baths:	1	1.64%
Faraday cage:	0	0%
Lead:	2	3.28%
Leather:	1	1.64%
Linqstat:	0	0%
Metal:	0	0%
Magnets:	0	0%
Mirrors:	0	0%
Mylar:	0	0%
QuWave:	0	0%
Rubber products:	0	0%
Sheet metal:	0	0%
Vitamins:	23	37.7%
Xanax (prescription):	0	0%
N/A:	12	19.67%
None of the above:	19	31.15%
Total Responded to this question:		61 78.21%
Total who skipped this question:		17 21.79%
Total:		78 100%

22. Which item or product do you use most often for muscle spasms. Select one.

	Responses	Percent
Aluminum foil:	0	0%
Copper:	0	0%
Dave Case's CD:	0	0%
Earthing or Grounding:	2	3.39%
Epsom salt baths:	8	13.56%
Faraday cage:	0	0%
Lead:	0	0%
Leather:	1	1.69%
Linqstat:	0	0%
Metal:	0	0%
Magnets:	3	5.08%
Mirrors:	0	0%
Mylar:	0	0%
QuWave:	0	0%
Rubber products:	0	0%
Sheet metal:	0	0%
Vitamins:	10	16.95%
Xanax (prescription):	1	1.69%
N/A:	15	25.42%
None of the above:	19	32.2%
Total Responded to this question:		59 75.64%
Total who skipped this question:		19 24.36%
Total:		78 100%

23. Which item or product do you use most often for nausea? Select one.

	Responses	Percent
Aluminum foil:	0	0%
Copper:	0	0%
Dave Case's CD:	0	0%
Earthing or Grounding:	0	0%
Epsom salt baths:	1	1.59%
Faraday cage:	0	0%
Lead:	1	1.59%
Leather:	1	1.59%
Linqstat:	0	0%
Metal:	0	0%
Magnets:	1	1.59%
Mirrors:	0	0%
Mylar:	1	1.59%
QuWave:	0	0%
Rubber products:	0	0%
Sheet metal:	0	0%
Vitamins:	8	12.7%
Xanax (prescription):	3	4.76%
N/A:	18	28.57%
None of the above:	29	46.03%
Total Responded to this question:		63 80.77%
Total who skipped this question:		15 19.23%
Total:		78 100%

24. Which item or product do you use most often for nosebleeds? Select one.

	Responses	Percent
Aluminum foil: <input type="text"/>	0	0%
Copper: <input type="text"/>	0	0%
Dave Case's CD: <input type="text"/>	0	0%
Earthing or Grounding: <input type="text"/>	0	0%
Epsom salt baths: <input type="text"/>	0	0%
Faraday cage: <input type="text"/>	0	0%
Lead: <input type="text"/>	1	1.79%
Leather: <input type="text"/>	0	0%
Linqstat: <input type="text"/>	0	0%
Metal: <input type="text"/>	0	0%
Magnets: <input type="text"/>	0	0%
Mirrors: <input type="text"/>	0	0%
Mylar: <input type="text"/>	0	0%
QuWave: <input type="text"/>	0	0%
Rubber products: <input type="text"/>	0	0%
Sheet metal: <input type="text"/>	0	0%
Vitamins: <input type="text"/>	0	0%
Xanax (prescription): <input type="text"/>	0	0%
N/A: <input type="text"/>	34	60.71%
None of the above: <input type="text"/>	21	37.5%
Total Responded to this question:		56 71.79%
Total who skipped this question:		22 28.21%
Total:		78 100%

25. Which item or product do you use most often for poking? Select one.

	Responses	Percent
Aluminum foil:	2	3.64%
Copper:	0	0%
Dave Case's CD:	0	0%
Earthing or Grounding:	0	0%
Epsom salt baths:	0	0%
Faraday cage:	0	0%
Lead:	1	1.82%
Leather:	4	7.27%
Linqstat:	1	1.82%
Metal:	1	1.82%
Magnets:	0	0%
Mirrors:	1	1.82%
Mylar:	0	0%
QuWave:	0	0%
Rubber products:	3	5.45%
Sheet metal:	0	0%
Vitamins:	0	0%
Xanax (prescription):	0	0%
N/A:	15	27.27%
None of the above:	27	49.09%
Total Responded to this question:		55 70.51%
Total who skipped this question:		23 29.49%
Total:		78 100%

26. Which item or product do you use most often for selzures? Select one.

	Responses	Percent
Aluminum foil:	0	0%
Copper:	0	0%
Dave Case's CD:	0	0%
Earthing or Grounding:	0	0%
Epsom salt baths:	1	1.79%
Faraday cage:	0	0%
Lead:	0	0%
Leather:	0	0%
Linqstat:	0	0%
Metal:	0	0%
Magnets:	0	0%
Mirrors:	0	0%
Mylar:	0	0%
QuWave:	0	0%
Rubber products:	0	0%
Sheet metal:	0	0%
Vitamins:	0	0%
Xanax (prescription):	2	3.57%
N/A:	38	67.86%
None of the above:	15	26.79%
Total Responded to this question:		56 71.79%
Total who skipped this question:		22 28.21%
Total:		78 100%

27. Which item or product do you use most often for stabbing pains? Select one.

	Responses	Percent
Aluminum foil:	3	4.84%
Copper:	1	1.61%
Dave Case's CD:	1	1.61%
Earthing or Grounding:	3	4.84%
Epsom salt baths:	1	1.61%
Faraday cage:	0	0%
Lead:	1	1.61%
Leather:	1	1.61%
Linqstat:	0	0%
Metal:	0	0%
Magnets:	3	4.84%
Mirrors:	1	1.61%
Mylar:	0	0%
QuWave:	0	0%
Rubber products:	3	4.84%
Sheet metal:	0	0%
Vitamins:	2	3.23%
Xanax (prescription):	2	3.23%
N/A:	10	16.13%
None of the above:	30	48.39%
Total Responded to this question:		62 79.49%
Total who skipped this question:		16 20.51%
Total:		78 100%

28. Which item or product do you use most often for stinging? Select one.

	Responses	Percent
Aluminum foil:	5	8.06%
Copper:	1	1.61%
Dave Case's CD:	1	1.61%
Earthing or Grounding:	0	0%
Epsom salt baths:	5	8.06%
Faraday cage:	1	1.61%
Lead:	1	1.61%
Leather:	3	4.84%
Linqstat:	1	1.61%
Metal:	0	0%
Magnets:	3	4.84%
Mirrors:	0	0%
Mylar:	0	0%
QuWave:	0	0%
Rubber products:	2	3.23%
Sheet metal:	0	0%
Vitamins:	0	0%
Xanax (prescription):	1	1.61%
N/A:	12	19.35%
None of the above:	26	41.94%
Total Responded to this question:		62 79.49%
Total who skipped this question:		16 20.51%
Total:		78 100%

29. Which item or product do you use most often for squeezing? Select one.

	Responses	Percent
Aluminum foil:	1	1.69%
Copper:	1	1.69%
Dave Case's CD:	2	3.39%
Earthing or Grounding:	0	0%
Epsom salt baths:	1	1.69%
Faraday cage:	0	0%
Lead:	0	0%
Leather:	1	1.69%
Linqstat:	1	1.69%
Metal:	0	0%
Magnets:	4	6.78%
Mirrors:	0	0%
Mylar:	0	0%
QuWave:	0	0%
Rubber products:	0	0%
Sheet metal:	0	0%
Vitamins:	0	0%
Xanax (prescription):	1	1.69%
N/A:	25	42.37%
None of the above:	22	37.29%
Total Responded to this question:		59 75.64%
Total who skipped this question:		19 24.36%
Total:		78 100%

30. Overall which of the following shielding products have been most effective for you? Select all that apply.

	Responses	Percent
Aluminum foil:	13	17.57%
Copper:	11	14.86%
Dave Case's CD:	6	8.11%
Earthing or Grounding:	15	20.27%
Epsom salt baths:	27	36.49%
Faraday cage:	1	1.35%
Lead:	5	6.76%
Leather:	9	12.16%
Linqstat:	3	4.05%
Metal:	6	8.11%
Magnets:	22	29.73%
Mirrors:	10	13.51%
Mylar:	6	8.11%
QuWave:	1	1.35%
Rubber products:	11	14.86%
Sheet metal:	3	4.05%
Vitamins:	26	35.14%
Xanax (prescription):	6	8.11%
If other, please specify:	44	59%
Total Responded to this question:		74 94.87%
Total who skipped this question:		4 5.13%
Total:		78 100%